

XRE00-185-4P-MOT



Products → Low Voltage Products and Systems → Fusegear → Switch Disconnecter Fuse

General Information

Extended Product Type:	XRE00-185-4P-MOT
Product ID:	1SEP102240R3402
EAN:	7025840066491
Catalog Description:	XRE00-185-4P-MOT Switch Fuse

Additional Information

ABB Product Family:	SlimLine XR
Country of Origin:	Bulgaria (BG)
Customs Tariff Number:	85363000
Data Sheet, Technical Information:	1SEC311001C0201
Declaration of Conformity - CE:	1SEP500042P0001
Degree of Protection:	acc. to IEC 60529 Front IP41
Distance Between Phases:	185 mm
EAN:	7025840066491
ETIM 4:	EC001040 - Fuse switch disconnecter
ETIM 5:	EC001040 - Fuse switch disconnecter
ETIM 6:	EC001040 - Fuse switch disconnecter
Electronic Fuse Monitoring:	No
Frequency (f):	50/60 Hz
Fuse Protected Short-Circuit Making:	55 kiloampere rms
Fuse Protected Short-Circuit Withstand:	100 kiloampere rms
Fuse Size:	00
Fuse System:	DIN
Fuse Type:	NH
Instructions and Manuals:	1SEC311001C0201
Invoice Description:	XRE00-185-4P-MOT Switch Fuse
Minimum Order Quantity:	1 piece
Number of Poles:	4
Object Classification Code:	Q
Operating Mode:	Motorized
Package Level 1 Gross Weight:	4.46 kg
Package Level 1 Height:	105 mm
Package Level 1 Width:	600 mm
Power Loss:	at Rated Load 43 W
Product Main Type:	XR00
Product Net Depth:	33.5 cm
Product Net Height:	10.5 cm
Product Net Weight:	4.46 kg
Product Net Width:	60 cm
Rated Current (I_n):	Main Circuit 160 A
Rated Impulse Withstand Voltage (U_{imp}):	Main Circuit 8 kV
Rated Insulation Voltage (U_i):	1000 V
Rated Operational Current AC-22B (I_e):	(500 V) 160 A
Rated Operational Voltage:	500 V AC
Selling Unit of Measure:	piece
UNSPSC:	39120000



