


Izdelano s CAD/ProEngineer - ročno spreminjanje ni dovoljeno! Vsak prenos tretjim osebam ali uporaba v nedogovorjene namene ni dovoljena po zakonu o avtorskih pravicah. Made with CAD/ProEngineer - changing is not allowed! Any unauthorized copying of this drawing or unauthorized distribution of the information contained herein is prohibited.



All dimensions in mm

ϕ , * - pomembna mera
important dimension

Oznake natisnjene na SE
Information stamped on VCM

DOMEL		220-240 V
492.3.430		50/60 Hz
XXXX I.C.L.F		6.490-210

OSNOVNE ZNAČILNOSTI		TYPICAL CHARACTERISTICS	
IZVEDBA	ENOSTOPENJSKA	FAN SYSTEM	SINGLE STAGE
VLEŽAJENJE	DVA KROGLIČNA LEŽAJA	BEARINGS	DUAL BALL
VRSTA PRETOKA	MIMO MOTORJA	DISCHARGE	BY PASS
SMER VRTENJA	LEVA	DIRECTION OF ROTATION	CCW

Tolerance odprtih mer Tolerances without individual indications ISO 8015 ISO 2768 - mK				Površinska hrapavost Surface finishing		Merilo Scale 1:1				Original format ISO 5457 - A3	
Datum/Date				Ime/Name		Naziv Title SESALNA ENOTA VACUUM CLEANER MOTOR					
Izdelal Designed 7.4.2005				J. Luznar		Koda Code 492.3.430					
Pregl. Verified 15.3.2013				J. Rihtaršič							
B1 10813 15.03.13 I. Potočnik		A0 7336 26.04.05 J. Luznar				List Sheet 3+		Stran Page 1			
Ozn. Mark		Št. obvestila Nr. of notice		Datum Date		Ime Name		4923430000_SESALNA_ENOTA			